

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION 10

1200 Sixth Avenue, Suite 900 Seattle, WA 98101-3140

MAR 9 2015

WA3019 10 C 3/9/15

OFFICE OF AIR, WASTE AND TOXICS

Ms. RueAnn Thomas Environmental Programs Director J.H. Baxter & Co. P.O. Box 10797 Eugene, OR 97440-2797

Re:

Comments on Remedial Action Pilot Study Operations and Monitoring Report, Third

Quarter 2014 (Report)

Former J.H. Baxter & Co. (Baxter), Arlington Facility (Facility)

§ 7003 Administrative Order on Consent (Order)

Docket No.: RCRA-10-2001-0086 EPA ID No.: WAD 05382 3019

Dear Ms. Thomas:

The U.S. Environmental Protection Agency, Region 10 has reviewed the above-referenced Report, dated December 2014. EPA's comments on the Report are enclosed. In accordance with Section 12 of the Order, Baxter is hereby required to submit responses to the enclosed comments and to perform the maintenance activities specified in the Remedial Action Pilot Study Work Plan (Work Plan) necessary to restore and maintain operation of the extraction and re-infiltration system, as designed, within sixty days of receipt of this letter.

Also note that in accordance with Section 71 of the Order, Baxter is required to report to EPA any significant developments and any problems encountered and planned resolutions in the monthly Progress Reports. Baxter did not report the problems with the extraction wells, or the abnormally high concentrations of pentachlorophenol in three wells and the composite sample, in the Progress Reports. Baxter also did not include an explanation for these problems and actions planned to resolve them in the Report. In addition to reporting such problems in the monthly Progress Reports, Baxter must include a summary in the Quarterly Reports of "significant developments this quarter" which highlights significant changes from previous quarters and includes an analysis of the reason for the change and planned actions.

These failures put Baxter at risk of incurring stipulated penal6ies under Section XVIII of the Order. Please contact me at (206) 553-6702 or at palumbo.jan@epa.gov, or have your legal counsel contact Jennifer MacDonald at (206) 553-8311or macdonald.jennifer@epa.gov, if you have any questions.

Sincerely,

Jan Palumbo

Project Coordinator

Enclosure

cc: Mr James C. Hanken

Wolfstone, Panchot & Bloch

Mr. Douglas Fox Stella-Jones Corp.

Ms. Heidi Blischke GSI Water Solutions, Inc. Ms. Georgia Baxter

J.H. Baxter, San Mateo

Mr. Dean Yasuda

Washington State Department of Ecology

ENVIRONMENTAL PROTECTION AGENCY REGION 10 COMMMENTS ON REMEDIAL ACTION PILOT STUDY OPERATIONS AND MONITORING REPORT, THIRD QUARTER 2014 (REPORT) FORMER J.H. BAXTER & COMPANY WOOD TREATING FACILITY ARLINGTON, WASHINGTON MARCH 10, 2015

The EPA has the following comments on the Report:

- Section 2.1, page 3. This section states that at the beginning of the third quarter only extraction well EW-4 was operating, and that EW-2 was reset on July 29, 2014. The Remedial Action Pilot Study Work Plan (Work Plan), dated September 2007, requires continuous operation and maintenance of the system, including all seven extraction wells and the associated piping and trenching. Baxter must perform the maintenance activities specified in the Work Plan necessary to restore and maintain operation of the extraction and re-infiltration system as designed within sixty days of receipt of this letter and submit and document the work performed in the next Quarterly Operations and Monitoring Report. In addition, the EPA was not notified of these performance failures prior to the Report. In accordance with Section 71 of the Order, Baxter is required to report to the EPA any significant developments and any problems encountered and planned resolutions in the monthly Progress Reports. These failures put Baxter at risk of incurring stipulated penal6ies under Section XVIII of the Order.
- Figure 7. This figure shows that the following three wells had new and unusually high concentrations of pentachlorophenol: MW-29 (new high of 170 μg/L); MW-41 (new high of 410 μg/L); and EW Composite (increase to 790 μg/L). In accordance with Section 71 of the Order Baxter is required to report to EPA any significant developments and any problems encountered and planned resolutions in the monthly Progress Reports. These results are considered to be a significant development and, if they occur in the future, must be reported in monthly Progress Reports.
- Composite plot near the end of Appendix A. This plot shows the spike in the composite sample, but it is buried in an unnumbered figure on an unnumbered page near the end of an appendix. An explanation for this spike and planned resolution must be provided in the Report. EPA also requests that the pages and figures in Appendix A be numbered so they can be more easily referenced in comments and in other communications.
- Figure 20, Appendix D. This figure shows a sudden drop in water elevation in the MW-39 plot. Provide an explanation for this sudden drop in water elevation and planned resolution in the Report.

Region 10 Routing and Concurrence

#		31011 20 1100111175 0110		1		
uthor: Jan Palumbo			Date:	2/24/15		
Iressee:	RueAnn Thomas					
ject:	Comments on Th	ird Quarter 2014 O and M Re	port, Rem	edial Action Pilo	ot Study	
Location/Name:		- h 2				
PROGRAM ADMIN	REVIEW:		ond hon	50) 150		
Name: MC	LEOD PALL	IMBO MACDONALD	FUENTES	POLICY YES/NO	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Initials/Date:	21	24/15 3/5/15	2/25	115		
PROGRAM OFFICE	CONCURRENCE:				7	
Name:	BLANKENSHIP	CASTRILLI		HEDEEN		
Initials/Date:		de2/25/15				
RA OFFICE CONCUR	RENCE/SIGNATUR	E:				
Name:			14			
Initials/Date:				E		
James C Hanken Wolfstone, Panch 1111 Third Ave . Seattle WA 9810	not & Bloch , Suite 1800	Ms. Heidi Blischke GSI Water Solutions, In		a list if necessary)		
Mr. Douglas Fox Stella-Jones Corp. Sent by 3 15 15		Georgia Baxter J.H. Baxter & Co. P.O. Box 5902 San Mateo, CA 94402		Washingtor 3190 160th	Dean Yashuda Washington Department of Ecology 3190 160th Ave SE Bellevue, WA 98008-5452	
bcc(s) (include name, title, organization, mailing		g address, and email if PDF is required—attach a J. Palumbo (AWT-121)		h a list if necessary)	list if necessary)	
Mailing Deadline:	2/27/14			Certified Mail:	original only	
FAX to:				FAX #:		
ADDITIONAL INFO/IN Please send me PDF Thanks.		ment when you mail out and I w	ill email to	the facility.		
Filing Instructions:	WAD 05382 3019	FF 10C				
Program	_L	Chrono.		Other		